

systema



---

**STAIRWAY A-19\***  
**Folding Stairway**  
**1m**  
**according to EN 12811-1**  
**Data Sheet**

---

systema



## FOLDING STAIRWAY A-19 : Stairs, according to EN 12811-1

These ladders meet the requirements of the European Norm EN 12811-1:2003.

Made of galvanized steel square profiles, the steps are slip resistant and made of expanded metal mesh.

The one-meter width of the stairways allows two-way access.

They are available in 6 different sizes that can be connected to each other safely.

## Details:


- Available in 6 different lengths which can be safely connected to each other. By this means, up to 4.75 m of height can be conquered with only one stairway.
- Maximum number of steps is 21. To achieve this, two stairways have to be connected (e.g. 18 and 3 step stairways). All necessary attachments are included.
- Each stairway is delivered with two handrails which adjust to the inclination angle of the stairway.
- Regardless of the inclination angle of the stairway, the treads will always remain in a horizontal position.
- The stairway is locked as soon as it is placed at the desired angle.
- The stairways are made of square galvanised steel hollow profiles.
- The steps are made from expanded metal with a rough surface to prevent slipping.
- The steps remain in a horizontal position regardless of the angle of the stairway.
- The stairways are foldable for easy transport.
- The stairways are hot dip galvanized for long lifetime.
- It is possible to pre-assemble the stairways to the requested length previously to their transport to the building site, however, on-site assembly is also easily possible.
- The stairways are designed according to the European standard EN 12811-1

## Product Overview

Stairway 1 m / 3 steps

Code: **A-19-003**

Weight: 54 kg



mm

Stairway 1 m / 6 steps

Code: **A-19-006**

Weight: 72 kg




mm

Stairway 1 m / 9 steps

Code: **A-19-009**

Weight: 97 kg




mm

Stairway 1 m / 12 steps

Code: **A-19-012**

Weight: 131 kg




mm

Stairway 1 m / 15 steps

Code: **A-19-015**

Weight: 172 kg




mm

Stairway 1 m / 18 steps


Code: **A-19-018**

Weight: 214 kg



mm

## Inclination Diagram



- >21 steps only on an slope subsoil
- >2 stairways connected only on an slope subsoil

systema



**Fall Protection Systems  
for the Construction Industry**

4 GLOBAL SOURCING SL  
ES B53878229  
03560 El Campello (Alicante)  
SPAIN

Tel.: + 34 965 24 86 50

Tel.: +34 678 58 63 98

[www.systemasafety.com](http://www.systemasafety.com)

Email: [sales@systemasafety.com](mailto:sales@systemasafety.com)

systema